

DESCRIPTION	SIZE	PACK	SUPC
A. TABLECRAFT™ DOUBLE BURNER RANGETTE - Chrome-plated finish with safety signal lights. Dual 6", 825 watt tubular cooking elements. Robertshaw® thermostatic control switches. UL and NSF listed. 90-day warranty.			
120V	20" x 8 ¾" x 4"	1 ea.	5128095
B. CADCO PORTABLE BUFFET RANGE - Chrome-plated finish with dual 5 ½", 825 watt tubular elements. Infinite controls with power-on indicator light. UL approved. One-year warranty.			
120V	17 ½" x 11 ½" x 3 ½"	1 ea.	8627713
C. CADCO PORTABLE COUNTERTOP RANGE - Black enamel finish with a heavy duty 7 ⅛", 1500 watt cast iron element. Infinite controls with element power light. UL approved. One-year warranty.			
120V	9 ½" x 10 ¼" x 3 ¼"	1 ea.	1882935
D. PANASONIC RICE COOKER - Features a thermostatically controlled, direct contact heating element. Removable stainless steel liner for easy cleaning. Push button start, keep warm feature and automatic shut-off. Cooks in 30 minutes. UL and NSF approved.			
120V	4.4 qt.	1 ea.	6767586
<p>Why switch to Induction Ranges? 20 times less expensive than butane and just as portable. Induction has an average hourly cost of 8-13 cents compared to \$1.70 for butane. Switch to induction and save 92% on your fuel budget.</p>			
E. SPRING USA MR. INDUCTION® RANGE - Dual function: Cook mode adjusts from 500 to 2600 watts. Thermostatic temperature mode ranges from 90 to 440°F.			
120V		1 ea.	4549135
208/220V		1 ea.	7318389
F. WARING ELECTRIC COUNTERTOP FRYER - 8.5 lb. Stainless Steel fryer with compact footprint. Twin steel wire baskets with 3 lb. food capacity. Hinged heating element and removable stainless steel tank. UL, NSF.			
Fryer.....		1 ea.	5443918

A



B



C



D



E



F



DESCRIPTION	SIZE	PACK	SUPC
A. ANVIL 10-LB. TWIN BASKET COUNTERTOP DEEP FRYER - These countertop fryers are designed to create a delicious variety of crisp fried food with minimum fuss. Safe, strong and reliable. Hinged element box and removable stainless steel tank for easy cleaning. Automatic cut-out at 410°F to prevent oil fire. 110V		1 ea.	9545153
B. ANVIL 15-LB. TWIN BASKET COUNTERTOP DEEP FRYER - Anvil's high speed deep fat fryer is designed to achieve high output performance while maintaining the desired delicious, crisp fried food flavor with minimum fuss. Pilot light indicates when elements are energized. 220V		1 ea.	0747568
C. ANVIL 20-LB. TWIN BASKET COUNTERTOP DEEP FRYER - These countertop fryers are designed to create a delicious variety of crisp fried food with minimum fuss. Safe, strong and reliable. Hinged element box and removable stainless steel tank for easy cleaning. Automatic cut-out at 410°F to prevent oil fire. 110V		1 ea.	9577958
D. ANVIL 16" WIDE ELECTRIC COUNTERTOP GRIDDLE - 120V - Anvil griddles go on and on serving up the best steaks, chops and burgers, mixed grills, seafood and pancakes. They are ideal for breakfast - eggs, tomatoes, bacon - the possibilities are endless. Heavy duty cooking surface for high heat retention. 120V	16"	1 ea.	5388525
E. ANVIL WIDE ELECTRIC COUNTERTOP GRIDDLE - 220V - Anvil griddles go on and on serving up the best steaks, chops and burgers, mixed grills, seafood and pancakes. They are ideal for breakfast - eggs, tomatoes, bacon - the possibilities are endless. Heavy duty cooking surface for high heat retention. 220V	24"	1 ea.	9577966
	36"	1 ea.	3033594
F. ANVIL RIBBED-TOP ELECTRIC COUNTERTOP GRIDDLE/SANDWICH MAKER - 220V - Anvil griddles serve up the best steaks, chops, burgers and seafood. This item is ideal for use in steak houses, restaurants, coffee shops, clubs and pubs. This item will cook approximately 300 burgers per hour. 220V	24"	1 ea.	1775899
G. ANVIL 36" WIDE ELECTRIC COMBO GRIDDLE (2/3 FLAT, 1/3 RIBBED) - 220V - Anvil griddles serve up the best steaks, chops, burgers and seafood. This item is ideal for use in steak houses, restaurants, coffee shops, clubs and pubs. This item will cook approximately 300 burgers per hour. Combo Griddle	36"	1 ea.	4877875

A



B



C



D



E



F



G



DESCRIPTION	SIZE	PACK	SUPC
A. ANVIL 2600-WATT TOASTER OVEN WITH CONVECTION COOKING - 220V - Anvil's Prima Pro convection ovens are especially designed for baking breads, muffins, baguettes, pastries, biscuits, etc. It is also especially useful with parbaked products. The Prima Pro also has a browning / broiling function.			
2600-Watt		1 ea.	1199827
B. ANVIL 6600-WATT TOASTER OVEN WITH CONVECTION COOKING - 220V - Anvil's Proton convection oven is especially designed for baking breads, muffins, baguettes, pastries, biscuits, etc. It is also especially useful with parbaked products. Anvil convection ovens will evenly reconstitute large quantities of frozen and chilled foods.			
6600-Watt		1 ea.	8071771
C. CADCO COUNTERTOP CONVECTION OVENS - Holds three sheet pans on three shelves. No rotation needed. Two modes: Regular baking or finishing. Control for top brown finishing. 120 minute timer or continuous on. Easy to clean stainless finish. Cool-Touch door.			
120V, fits ¼ size sheet pans.....		1 ea.	5552575
120V, fits ½ size sheet pans.....		1 ea.	5552617
D. DORMONT HOSE KITS - Kit includes one BPQ Series stainless steel gas connector with push-to-connect coupling, one coiled restrainer with hardware, one full port gas ball valve, two 90-degree Street elbows.			
½"	48"	1 kit	5954722
¾"	48"	1 kit	5954706
1"	48"	1 kit	5954714
E. FRANKLIN MACHINE PRODUCTS LAVA ROCKS FOR CHARBROILER - For use with charbroilers and barbecues. Lava rocks are the most economical rocks available because they hold heat longer and save energy. Lightweight, easy to handle. Covers approximately two square feet.			
8 lb.		1 ea.	8627226
F. US PUMICE LAVA ROCKS - 100% pure pumice char rock. Natural gray rock, odorless and tasteless. Three square feet per bag coverage.			
Lava Rocks		2/10 lb.	4050886

A



B



C



D



E



F



DESCRIPTION	SIZE	PACK	SUPC
A. FRANKLIN MACHINE PRODUCTS GREASE FILTER BAFFLE - Our Baffle filters are heavy duty with double framing that resists dents and bending, even if dropped. All filters have attached end-baffles for efficiency.			
1. Aluminum -			
10" x 20" x 2"		1 ea.	5434511
12" x 20" x 2"		1 ea.	5337943
16" x 16" x 2"		1 ea.	4739650
16" x 20" x 2"		1 ea.	5332896
16" x 25" x 2"		1 ea.	4779585
20" x 16" x 2"		1 ea.	4681948
20" x 20" x 2"		1 ea.	4082087
20" x 25" x 2"		1 ea.	4894679
25" x 16" x 2"		1 ea.	5434495
25" x 20" x 2"		1 ea.	3956422
10" x 16" x 2"		1 ea.	5434504
12" x 16" x 2"		1 ea.	4845410
2. Galvanized Steel -			
10" x 20" x 2"		1 ea.	4948467
16" x 20" x 2"		1 ea.	5434565
16" x 25" x 2"		1 ea.	5434578
20" x 16" x 2"		1 ea.	5434594
20" x 20" x 2"		1 ea.	4056479
20" x 25" x 2"		1 ea.	5434612
25" x 16" x 2"		1 ea.	4785675
25" x 20" x 2"		1 ea.	4757924
20" x 12" x 2"		1 ea.	5434545
16" x 16" x 2"		1 ea.	5434552
10" x 16" x 2"		1 ea.	5434521
12" x 16" x 2"		1 ea.	5434531
3. Stainless Steel -			
10" x 20" x 2"		1 ea.	5434674
12" x 20" x 2"		1 ea.	4802876
16" x 16" x 2"		1 ea.	1698760
16" x 20" x 2"		1 ea.	5434693
16" x 25" x 2"		1 ea.	5434701
20" x 16" x 2"		1 ea.	5029214
20" x 20" x 2"		1 ea.	4974313
20" x 25" x 2"		1 ea.	4898575
25" x 16" x 2"		1 ea.	5434487
25" x 20" x 2"		1 ea.	4956872
10" x 16" x 2"		1 ea.	5434651
12" x 16" x 2"		1 ea.	5434687
B. FRANKLIN MACHINE PRODUCTS BAFFLE BOSS HOOD FILTER LIFTING TOOL - The Baffle Boss is the ultimate tool for hood filter removal. It makes the cumbersome job of reaching and removing filters a simple operation and eliminates unsafe removal procedures. Designed to be used with most major brand hood filters.			
Lifting Tool		1 ea.	0971317
C. FRANKLIN MACHINE PRODUCTS BAFFLE BOSS PRONGS - For Kason grease filters. Set of two. Aluminum.			
Prongs		2 ea.	1605757
D. FRANKLIN MACHINE PRODUCTS BAFFLE BOSS PRONGS - For Flame Gard Heavy Duty grease filters. Galvanized Steel. Set of 2.			
Prongs		2 ea.	1606300
E. FRANKLIN MACHINE PRODUCTS BAFFLE BOSS WALL BRACKET KIT - 4" (10cm) Aluminum wall mount bracket. Mounting hardware included to store your Baffle Boss near the hood.			
Wall Bracket Kit		1 ea.	8710469

A



B



C



D

E



DESCRIPTION	SIZE	PACK	SUPC
A. SERVER FUDGE WARMERS - Stainless steel. Pumps hot fudge directly from a #10 tin or a #94009 jar (not included). Drains tin or jar completely. Maximum stroke dispenses accurate one-ounce portion with gauging collars provided for 3/4, 1/2 and 1/4 ounce servings. Complete pump and water-bath warmer.			
Complete Fudge Warmer	115V	1 ea.	4368809
Warmer Base only.....		1 ea.	7155815
B. WILBUR CURTIS SYRUP WARMER - Stainless steel construction. Can be used for cider, mulled wine and more.			
Syrup Warmer	1 gal.	1 ea.	8666216
C. SYSCO 2-BULB HEAT LAMP - Free standing and adjustable. Spun aluminum shades. Ceramic sockets and nickel plated contact to prevent fusing. Drilled shade for increased heat dissipation. Includes two 250 watt clear bulbs. Pan not included. One year warranty. UL and CSA listed.			
Heat Lamp.....	120 V	1 ea.	6010599
D. CARLISLE® HEAT LAMPS - Choose from single or dual 24" vinyl coated flex arms. Includes 250 Watt red bulbs. The NSF listed maple cutting board and drip pan make this perfect for a front-of-the-house carving station.			
Single Arm, Aluminum.....	24"	1 ea.	5934708
Single Arm, Gold.....	24"	1 ea.	1164185
Dual Arm, Aluminum.....	24"	1 ea.	8209991
Dual Arm, Gold.....	24"	1 ea.	8513186
E. SYSCO FOOD WARMER - This model is designed to hold heated, prepared foods at temperatures above the "danger zone" of 140°F. Recommended for up to 4" steam table pans. 700 watts. One year replacement warranty.			
Full Size	120V	1 ea.	3864030
F. SYSCO HEAT 'N SERVE FOOD WARMERS - Thermostatically controlled unit takes cold food to 165°F in less than 90 minutes. Brushed stainless steel exterior with granite-look base and interior. Interior well is made from polyester and glass fibers. Will not crack, rust or pit. Non-skid legs for stable operation. UL, NSF certified and CSA listed. One-year replacement warranty.			
12" x 20"	120V	1 ea.	3864006
7 qt.	120V	1 ea.	3864105
11 qt.	120V	1 ea.	3864014
G. ANVIL HOT FOOD BAR - Wet and dry heating element. Reliable temperature control via energy regulator. Double skin stainless steel construction reduces heat loss and improve the strength of the unit. Removable glass viewing window.			
2 Division	110V	1 ea.	4877862
3 Division	110V	1 ea.	7416902

A



B

C



D

G




E F



DESCRIPTION	SIZE	PACK	SUPC
A. TOMLINSON® FRONTIER II KETTLES® - Features fast heat up and NSF approval for rethermalization. The kettle has a durable powder-coated black steel shell, adjustable temperature control and hinged lid. It is shipped complete with an 8 or 12 quart stainless steel food insert and product cards.			
8 qt.	120V	1 ea.	3929098
12 qt.	120V	1 ea.	3782638
B. TOMLINSON® DELUXE FRONTIER KETTLES® - The top of the line in Tomlinson soup kettles. The Deluxe Frontier Kettle® will cook, heat, hold and warm soup and other hot food specialties. The unit is approved for NSF rethermalization and features fast heat up with 1250 watts, adjustable temperature control and indicator light. Ships with an 8 or 12-quart stainless steel food insert, hinged lid and 22 colorful product cards. 120V.			
8 qt.	120V	1 ea.	4354361
12 qt.	120V	1 ea.	4354338
C. WARING® BELGIAN WAFFLE BAKER - Heavy-duty die-cast housing. Embedded heating elements for precise temperature control. Rotary feature for even baking and browning. Audio beep signals when waffle is ready. Power and Ready-to-Bake LED indicators. Delivers up to 25 1¼" thick belgian waffles per hour. Nonstick plates allow for easy removal of waffle and quick cleanup.			
Waffle baker.....	120V	1 ea.	6298954
D. CADCO LIFT-UP BREAD TOASTER - Stainless steel body with cast aluminum end panels. Heavy duty mica elements. Keep-warm feature with manual ejector knob and manual timer. Pull-out crumb tray. Two or four slot selector switch. One inch tapered slots fit bread, English muffins or standard bagels. Two year warranty on elements, one year on parts. UL, NSF, CSA listed.			
4 Slot.....	120V	1 ea.	3020757
E. WARING® LIGHT DUTY POP-UP TOASTER - Commercial toaster to replace household toasters commonly found on self-serve breakfast buffets. It features a rotary dial to adjust browning. Touch controls. One-year limited warranty.			
2 Slice	120V	1 ea.	3719143
4 Slice	120V	1 ea.	3465424
F. WARING® POPUP 4 SLICE LIGHT DUTY TOASTER - Brushed stainless steel housing. Four extra wide 1¾" slots, great for bagels. Electronic browning controls. Four self centering bread racks. Removable crumb trays. Limited one-year warranty. UL, CUL, NSF listed.			
4 Slice	120V	1 ea.	5537956
G. ANVIL SANDWICH PRESS - These Anvil toasters are designed for constant and robust use — the more you throw at them, the harder they work. Efficient element design and high power output. Drip cup to catch excess grease. Heat resistant handle.			
Flat Plate (110)	13" x 18"	1 ea.	9578030
Panini (110V).....	13" x 18"	1 ea.	9578188
Panini Double (220V)	13" x 28"	1 ea.	0747865
Super-size Flat Plate (110V).....	17" x 20"	1 ea.	9578139
H. WARING® HEAVY-DUTY 4-SLOT TOASTERS - Uniformly toasts bread, Texas Toast, frozen waffles and many other foods. Featuring replaceable elements, easy enough to install yourself! Choose by available voltage and capacity requirements. Four 1 ½" toaster slots. One-year factory warranty. NSF listed.			
WTC800RC (225 slices per hour)	115V	1 ea.	8648925
WTC800 (300 slices per hour)	120V	1 ea.	3627585
WTC805B (380 slices per hour).....	208V	1 ea.	8599805



DESCRIPTION	SIZE	PACK	SUPC
A. WARING® CHOPPER GRINDER - Electrical unit features two separate, see through ¾ qt. bowl assemblies, one for chopping, one for grinding. The chopping cover has two protected openings for adding ingredients while the motor is running. Bowl assemblies attach for compact, easy storage. Blades, bowls and covers are dishwasher safe. 120V. WCG75	¾ qt.	1 ea.	3492014
B. MATFER MINI 3-FUNCTION HAND-HELD MIXER - For cold and warm sauces in amounts between 1 and 20 liters. Submersible 9 ¾", speed 1: 10,000 rpm / speed 2: 14,000 rpm, electrical cord 8 ½". Rack included and 3 different blades. 115V. Mixer.....	15 ½"	1 ea.	0948067
C. WARING® QUIK STIK® IMMERSION BLENDER - Lightweight and compact, this handheld immersion blender offers two-speed control and a high-efficiency motor. All-purpose stainless-steel blade for durability. Limited one-year warranty. 120V, 60Hz, 100W. NSF listed. Quik Stik Immersion Blender.....		1 ea.	6212062
D. WARING® QUIK STIK® PLUS HAND-HELD MIXER - Heavy duty 350 Watt motor. Two speed control. Perfect for light mixing to pureeing and emulsifying. Lightweight and ergonomic. Rubberized comfort grip for safe and controlled operation. Stainless steel 10" shaft with stainless steel blade for all-purpose mixing. NSF and ETL listed. One-year factory warranty. 120V. Medium-Duty Immersion Blender.....	10"	1 ea.	4833612
E. WARING® BIG STIK™ HEAVY-DUTY IMMERSION BLENDERS - Combining sturdy stainless steel shafts and sharp stainless blades with a powerful 1 HP, 750 W variable speed motor, these lightweight immersion blenders have rubberized ergonomic grips and second handles for safe, controlled operation. Assorted fully-sealed shafts are dishwasher-safe and interchangeable. All new continuous operation. Limited one-year warranty. WSB60	16"	1 ea.	3560281
WSB65.....	18"	1 ea.	8429268
F. DYNAMIC INTERNATIONAL LIGHT DUTY HAND MIXER - Mixes, purees and emulsifies up to 2 gallons. Fixed stainless steel mixer tube. Titanium plated mixing knife. Tube length 7". Non-locking micro switch for safety. Double motor insulation. 120V. MD95	18" overall	1 ea.	8743999
G. DYNAMIC INTERNATIONAL MEDIUM DUTY HAND MIXER - Mixes, purees and emulsifies up to 25 gallons. Fixed stainless steel mixer tube. Titanium plated mixing knife. Tube length 16". Continuous or pulse operation on a safety switch. Double motor insulation. 120V. MX91	28" overall	1 ea.	6106975



DESCRIPTION	SIZE	PACK	SUPC
A. ROBOT COUPE HAND-HELD MIXER - Commercial power mixer. 14 inch stainless steel shaft. Removable stainless foot and knife. Ergonomically shaped handle. Variable speed from 1500 to 10,000 RPM. Capacity up to 50 quarts. 120V. MP350VV.....	29" overall	1 ea.	4573960
B. SYSCO SPECIFIED COUNTERTOP STAND MIXER BY HAMILTON BEACH® - Features a variable speed motor. Durable all metal gears. Tilt back head makes adding ingredients easy. Motor shuts off when head is tilted back for safety. Includes the following: flat beater, wire whisk and dough hook. Free extra stainless steel bowl and additional 6 month parts warranty exclusive to SYSCO. NSF and Commercial UL listed. 30 month parts and 24 month labor warranty. 120V. 800 watt, CMP700.....	7 qt.	1 ea.	9154006
C. HAMILTON BEACH WIRE WHISK - Hamilton Beach commercial wire whisk for mixers, use for combining thin mixtures: eggs, cream, batter, meringues, etc. 5 qt..... 7 qt.....		1 ea. 1 ea.	5226337 9461013
D. ANVIL 10-QT DOUGH MIXER W/GUARD - Anvil's 10 quart mixers are designed specifically for small commercial mixing applications. This compact tabletop mixer is small enough to fit into any kitchen yet robust enough for continuous operation. 110V.....	10 qt.	1 ea.	9757055
E. ANVIL 20-QT ECONO DOUGH MIXER W/GUARD - Anvil's 20 quart mixers are designed specifically for small commercial applications. The grease-packed ball bearing and air-cooled motor ensure quiet and efficient continuous operation. 110V.....	20 qt.	1 ea.	0747667
F. FRANKLIN MACHINE PRODUCTS DOUGH HOOKS FOR HOBART MIXERS - Efficient spiral design saves energy and provides smoother mixer operation. Cast aluminum. Cannot be used with mixer adaptors to fit larger models. Cannot be used on the new Hobart HL Legacy series of mixers. For 12 qt. (11.3L) mixer..... For 20 qt. (18.9L) mixer..... For 30 qt. (28.4L) mixer..... For 60 qt. (56.7L) mixer..... For 80 qt. (75.7L) mixer.....		1 ea. 1 ea. 1 ea. 1 ea. 1 ea.	2870061 6434906 3573219 1428879 1734102

C



D



A



B



E



F



DESCRIPTION	SIZE	PACK	SUPC
A. FRANKLIN MACHINE PRODUCTS FLAT BEATERS FOR HOBART MIXERS - Cast aluminum. Cannot be used with mixer adaptors to fit larger models. Cannot be used on the new Hobart HL Legacy series of mixers.			
For 12 qt. (11.3L) mixer.....		1 ea.	4325981
For 20 qt. (18.9L) mixer.....		1 ea.	7698384
For 30 qt. (28.3L) mixer.....		1 ea.	1521269
For 60 qt. (56.7L) mixer.....		1 ea.	8551970
For 80 qt. (75.7L) mixer.....		1 ea.	8829582
B. FRANKLIN MACHINE PRODUCTS HOBART PLASTIC MIXING BOWLS FOR HOBART MIXERS - Cannot be used on the new Hobart HL Legacy series of mixers.			
20 qt. (18.9L)		1 ea.	7002637
C. FRANKLIN MACHINE PRODUCTS HOBART MIXING BOWLS FOR HOBART MIXERS - 14-gauge. Type 304 stainless. Cannot be used on the new Hobart HL Legacy series of mixers.			
For Model A-120.....	12 qt.	1 ea.	7186703
For Model A-200.....	20 qt.	1 ea.	6620223
For Model D-30.....	30 qt.	1 ea.	7218274
For Models H-600, P-660 .	60 qt.	1 ea.	7890817
For Models L-800, M-802.....	80 qt.	1 ea.	3948171
D. FRANKLIN MACHINE PRODUCTS PLASTIC SPLASH COVER - Plastic splash cover. Fits 20 qt. (18.9L) plastic mixing bowl. Cannot be used on the new Hobart HL Legacy series of mixers.			
Splash Cover.....	20 qt.	1 ea.	1504273
E. FRANKLIN MACHINE PRODUCTS STAINLESS STEEL WIRE WHIPS FOR HOBART MIXERS - Cannot be used with mixer adaptors to fit larger models. Cannot be used on the new Hobart HL Legacy series of mixers.			
For 12 qt. (11.3L) mixer.....		1 ea.	8846669
For 20 qt. (18.9L) mixer.....		1 ea.	6097968
For 30 qt. (28.4L) mixer.....		1 ea.	6578918
For 60 qt. (56.7L) mixer		1 ea.	8743700
For 80 qt. (75.7L) mixer.....		1 ea.	8804940
F. NEW ANVIL 3QT ELECTRIC COMMERCIAL FOOD PROCESSOR - Anvil's Commercial food processor is ideal for chopping, mixing and pureeing a variety of products in medium volume catering facilities. 110V.			
Food Processor.....	3 qt.	1 ea.	4877888
G. MATFER TIN-PLATE FOOD MILL WITH 3 BLADES - Purée cooked vegetables at 2 to 3 lbs. per minute. Equipped with three interchangeable grids of fine, medium and large grind. Fits on any pan or bowl with a diameter of 7" to 12 1/4". 5-quart capacity.			
Matfer Food Mill #3.....	12 1/4"	1 ea.	7551963

C



D



E



F



G



A

B

DESCRIPTION	SIZE	PACK	SUPC
A. WARING® FOOD PROCESSOR, 4 DISCS - One durable poly work bowl for 2 ½ qt. batch processing. Continuous and pulse operation. High torque direct drive ½ HP motor with thermal overload protection. Includes 4 stainless steel discs: thin, medium, thick slicing and medium shredding. Also includes two "S" blades, funnel and pusher. 120V. FPC14.....	2 ½ qt.	1 ea.	5797444
B. WARING® FOOD PROCESSOR, 6 DISCS - Two durable poly work bowls for continuous feed and 2 ½ qt. batch processing. Continuous and pulse operation. High torque direct drive ½ HP motor with thermal overload protection. Includes 6 stainless steel discs: thin, medium and thick slicing, julienne, fine and medium shredding. Also includes two "S" blades, funnel and pusher. 120V. FPC15.....	2 ½ qt.	1 ea.	4892063
C. ROBOT COUPE FOOD PROCESSOR - Includes a gray plastic bowl with handle, 1/3 HP motor, continuous feed attachment, on, off and pulse switch, 5/64" grating and 5/32" slicing plates. 120V. R2N.....	3 qt.	1 ea.	4071809
D. ROBOT COUPE FOOD PROCESSOR - Includes a stainless steel cutting bowl with handle, continuous feed attachment, on/off/pulse switch, 1/8" grating and 3/16" slicing plates. 120V. R301U.....	3 ½ qt.	1 ea.	4800314
E. HAMILTON BEACH® FOOD PROCESSING BLENDER - Features a 32 oz. stainless steel container and a 2 speed, 3/8 HP motor with pulse. 12 month parts and labor warranty. 120V. 911.....	32 oz.	1 ea.	5596440
F. HAMILTON BEACH TWO SPEED PULSE BLENDER - STAINLESS STEEL - Provides enough power and durability to handle the professional demands of hotels, bars, restaurants, hospitals and nursing homes. Four stainless steel cutting and mixing blades ensure quick, thorough blending. Special accessory is included for easy blade unit removal. Stainless Steel.....	1 gal.	1 ea.	5752001

A



B



C



D



E



F



DESCRIPTION	SIZE	PACK	SUPC
A. WARING® 1-GALLON FOOD BLENDER - For use in high-volume food preparation. 3 ¾ HP motor with Low, Medium, High, Pulse and Off settings on an easy to clean flat digital panel. Two-handled, 1-Gallon, stainless container for added control when the container is full. Free clear polycarbonate clamp-on hot lid with gasket and stopper. Rubber jar pad is removable for cleaning. UL, NSF approved. CB15S.....	1 gal.	1 ea.	9771197
B. WARING® FOOD PROCESSING BLENDER - Clear, unbreakable polycarbonate container with black polycarbonate housing. 1 ½ HP, 2 speed motor. Two piece lid allows addition of ingredients while blending. 120V. UL and NSF approved. HGB140.....	64 oz.	1 ea.	4892105
Clutch Repair Kit for HGB140.....		2 ea.	7440407
C. WARING® FOOD PROCESSING BLENDER - Stainless steel container with cloverleaf design for high-efficiency blending. Baked enamel base over a die-cast housing. Heavy duty, 2-speed, 0.4 HP commercial motor and stainless steel blades. UL listed. 120V. 7011S.....	32 oz.	1 ea.	4050043
D. SYSCO SPECIFIED MANUAL SLICERS BY GLOBE - Space-saving design at an economical price. 1/3 HP motor with a positive traction grooved belt drive. Drive motors have permanently lubricated ball bearings. One piece anodized aluminum base. Built-in, top mounted sharpener. Maximum slice thickness of 5/8". Not recommended for heavy cheese slicing. Includes free coupon for 4" extension legs, exclusive to SYSCO. UL, NSF approved. GC12, 12" Blade.....	18" x 20" x 17"	1 ea.	6844427
E. SYSCO SPECIFIED MANUAL SLICERS BY GLOBE - Heavy duty, compact, manual slicer with gear drive. Slicer base is constructed of heavy gauge anodized aluminum with stainless steel food contact areas. Built-in, top mounted sharpener. Precise table adjustment with maximum slice thickness of 3/4". Includes free coupon for 4" extension legs, exclusive to SYSCO. NSF approved. GC512, 12" Blade.....	25" x 19 3/4" x 19 1/2"	1 ea.	8075590
F. SYSCO SPECIFIED MANUAL SLICERS BY GLOBE - Gear drive system provides high torque and low maintenance, no adjusting or replacing belts. 1/2 HP motor. One-piece stainless steel base. Holds precise thickness adjustments from tissue thin to 1 1/4". Equipped with a permanently attached knife ring guard and an interlocked knife cover. Touch pad controls. Includes free coupon for 4" extension legs, exclusive to SYSCO. 3600, 12" Blade.....	22" x 25" x 21"	1 ea.	7088867



DESCRIPTION	SIZE	PACK	SUPC
A. GLOBE ECONOMY MANUAL SLICER - ¼ HP motor with belt drive. Anodized aluminum construction. Top mount knife sharpener. Blade size limits product size to 5 ½" diameter. Maximum slice thickness 5/8". Not recommended for high volume institutional use. CG9, 9" Blade.....	18" x 17" x 15"	1 ea.	5820824
B. GLOBE CHEFMATE COMPACT MANUAL SLICER - Meant for those with limited use requirements, limited kitchen space, and/or limited budget, these light duty Chefmate brands offer an economical slicer alternative. Features include a belt driven knife motor, anodized aluminum construction, and an all metal knife sharpener. CG10, 10" Blade..... CG12D, 12" Blade.....	20 ¾" x 17 ¾" x 15" 27 ¼" x 21 ½" x 16 ½"	1 ea. 1 ea.	5820832 6519219
C. GLOBE HEAVY DUTY MANUAL SLICER - This compact slicer features a 10" blade and a ¼ HP powerful motor that is gear driven. The slicer features stainless steel parts that included the food chute, slicer table, knife, knife cover, slice deflector, motor cover, and removable product receiving tray. The base of the slicer is constructed of heavy duty anodized aluminum that is stain resistant, long lasting, and easy to clean. CG510, 10" Blade.....	22" x 16" x 15"	1 ea.	9103094
D. GLOBE PROTECH™ GRAVITY FEED MANUAL 12" SLICER - Protech manual slicer. Rugged gear drive system provides years of maintenance-free reliability. Unique dual-gear table adjustment design eliminates slop and play, ensuring consistent slice thicknesses from tissue thin up to 1 ¼" thick. The Protech series comes with additional safety features such as table lock-out, home position start and return, automatic shut-off, and food chute interlock. 4600, 12" Blade.....	28 ¼" x 21 ½" x 20 ½"	1 ea.	4300927
E. GLOBE PROTECH™ VARIABLE SPEED AUTOMATIC SLICERS - Nine preset speeds with 20 to 60 strokes per minute. Slicer automatically shuts off after 10 seconds of no chute movement. Saves energy and reduces operator risk. ½ HP motor with dual gear drive system. Sharpener is permanently attached. 4975, 12" Blade.....	28 ¼" x 21 ½" x 24"	1 ea.	4313219
F. GLOBE 2-SPEED AUTOMATIC SLICER - Rugged gear drive system provides years of maintenance-free reliability. All stainless steel construction and radiused corners are free from pits, voids, and dents for faster clean-up and superior sanitation. Unique dual-gear table adjustment design eliminates slop and play, ensuring consistent slice thicknesses from tissue thin up to 1 ¼" thick. 3850, 12" Blade.....	25" x 21 ½" x 24"	1 ea.	3436532
G. GLOBE VARIABLE FEED AUTOMATIC SLICER - Variable speed automatic slicer. Rugged gear drive system provides years of maintenance-free reliability. All stainless steel construction and radiused corners are free from pits, voids, and dents for faster clean-up and superior sanitation. Unique dual-gear table adjustment design eliminates slop and play, ensuring consistent slice thicknesses from tissue thin up to 1 ¼" thick. 3975, 12" Blade.....	25" x 21 ½" x 24"	1 ea.	3436540

A



B




C



D



E




F

G



DESCRIPTION	SIZE	PACK	SUPC
A. GLOBE SLICER FENCES - Help hold round or rectangular products to ensure quality slices and high yield. Best when used in conjunction with a front mounted end weight.			
Fence	12" x 1.3"	1 ea.	9070392
Fence	12" x 3"	1 ea.	5834189
B. GLOBE SLICER LEG EXTENDERS - Enables easy access below the slicer making cleanup faster and easier.			
Leg Extenders		Set of 4	0180208
C. GLOBE VEGETABLE HOPPER ATTACHMENT - For slicing fruits, vegetables, lettuce for sandwiches, and cabbage for slaw. Fits any Globe heavy duty slicer.			
Hopper Attachment for 3000 Series Slicers		1 ea.	1746999
Hopper Attachment for GC512 Slicer		1 ea.	9366469
Hopper Attachment for GC12D Slicer		1 ea.	1746783
D. PLASTIC COVER FOR SLICERS - Ensures slicer stays clean when it is not in use.			
Slicer		1 ea.	6481543



DESCRIPTION	SIZE	PACK	SUPC
A. ANVIL HEAVY DUTY AUTOMATIC 12" SLICER - Anvil's Start Heavy Duty Belt Driven 12" Auto Slicer offers total quality, safety and hygiene. It is ideal for continuous work in high volume operations. Slice approximately 40 slices per minute. Can be used for vegetables and processed meat (not suited for frozen meat). Built of top quality aluminum. Comes standard with built in sharpeners and fire proof bottom plates. Easy to use with only one main switch and variable speed control. Can also be used manually.			
Slicer.....	12"	1 ea.	5402011
B. ANVIL #12 ELECTRIC MEAT GRINDER - Anvil's meat grinders are noted for their exceptional reliability and attractive, compact design. The No. 12 features a 3/4 HP motor, enabling 220 lbs. of meat to be ground per hour and is perfect for butchers and supermarkets. Simply plug and grind your way to financial success. Complete stainless steel body, head and tray. Forward and reverse switch.			
110V.....	3/4 HP	1 ea.	5600978
C. ANVIL ARGENTA BELT-DRIVEN SLICER - Anvil's top quality range of aluminum slicers offers total safety, quality and hygiene. The motors of these slicers are behind the blade, making them ideal for small cuts and processed meats. They come standard with built-in sharpeners and have fire-proof bottom plates.			
Slicer.....	10"	1 ea.	9578279
Slicer.....	9"	1 ea.	9578261
D. ANVIL HEAVY DUTY GEAR-DRIVEN SLICER - Anvil's top quality range of aluminum slicers offers total safety, quality and hygiene. The motors of these slicers are behind the blade, making them ideal for small cuts and processed meats. They come standard with built-in sharpeners and have fire-proof bottom plates.			
Slicer.....	12"	1 ea.	9578352
E. ANVIL HEAVY DUTY MANUAL BELT-DRIVEN 12" SLICER - Built of top quality aluminum. Safety and hygiene meet the needs of demanding customers worldwide. Comes standard with built-in sharpeners and fire-proof bottom plates.			
Slicer.....	12"	1 ea.	5075833
F. KATCHALL® BLADERUNNER® CLEANING SPONGE - A cleaning saturated sponge that can be cut on the slicer like any other food product. Odorless, tasteless. Dries in 60 seconds. Provides quick and easy cleaning between uses while reducing the risk of cross-contamination.			
Bladerunner®		24 ea.	5914486
G. HAYNES LUBRICANT GEL LUBRI-FILM PLUS - USDA rated H-1 for use in federally inspected meat and poultry plants for incidental food contact. Especially developed for lubrication of food processing and restaurant equipment. Non-toxic, odorless, tasteless.			
Lubri-Film Plus.....	4 oz.	12 ea.	7685118

C



D



E



F



G



A



B



DESCRIPTION	SIZE	PACK	SUPC	SUPC
A. SYSCO RELIANCE WIRE SHELVING KIT - Kit includes four shelves and four posts. Capacity of 850 lb. up through 48" shelves. 54" and longer shelves support 600 lb. Chrome for dry storage. Green Epoxy for walk-ins. 7-year warranty against rust on epoxy shelving. NSF certified.				
			Chrome	Epoxy
Shelving Kit.....	18" x 36" x 72"	4 ea.	0491720	0491100
Shelving Kit.....	18" x 48" x 72"	4 ea.	0491878	0491258
Shelving Kit.....	18" x 60" x 72"	4 ea.	0491902	0491365
Shelving Kit.....	24" x 36" x 72"	4 ea.	0491951	0491480
Shelving Kit.....	24" x 48" x 72"	4 ea.	0491977	0491548
Shelving Kit.....	24" x 60" x 72"	4 ea.	0492009	0491613
Shelf Only	18" x 36"	1 ea.	0486324	0488023
Shelf Only	18" x 48"	1 ea.	0486357	0488114
Shelf Only	24" x 48"	1 ea.	0487850	0488338
Shelf Only	24" x 60"	1 ea.	0487884	
Post Only.....	70"	2 ea.	7152895	7152754
B. SYSCO RELIANCE CASTER SET FOR RELIANCE SHELVING - Polyurethane wheels. 2 swivel and 2 braking casters.				
Caster Set.....	5"	4 ea.	0497164	
C. SYSCO CLASSIC AND SYSCO IMPERIAL WIRE SHELVING KIT - Kit includes four shelves and four posts. Load capacity up to 1250 lb. per shelf. SYSCO Classic Zinc for dry storage applications, SYSCO Imperial Blue Epoxy for walk-ins. 10-year warranty against rust on epoxy shelving. NSF certified.				
			Zinc	Epoxy
Shelving Kit.....	18" x 36" x 74"	4 ea.	0377218	0374173
Shelving Kit.....	18" x 48" x 74"	4 ea.	0376848	0374363
Shelving Kit.....	18" x 60" x 74"	4 ea.	0377168	0374538
Shelving Kit.....	18" x 72" x 74"	4 ea.	0376988	0374645
Shelving Kit.....	24" x 36" x 74"	4 ea.	0377242	0374736
Shelving Kit.....	24" x 48" x 74"	4 ea.	0377382	0374819
Shelving Kit.....	24" x 60" x 74"	4 ea.	0377424	0374892
Shelving Kit.....	24" x 72" x 74"	4 ea.	0377481	0376707
Shelf Only	24" x 48"	1 ea.	0373738	0373266
Shelf Only	24" x 60"	1 ea.	0373746	0373290
Shelf Only	24" x 72"	1 ea.	0373787	0373332
Post Only.....	68"	2 ea.	0812826	
Post Only.....	70"	2 ea.	7152549	7152598
D. SYSCO CLASSIC CASTER SET FOR SYSCO CLASSIC AND SYSCO IMPERIAL SHELVING - Resilient wheel. 2 Swivel, 2 Braking casters.				
Caster Set.....	5"	4 ea.	0743286	
E. ISS SURE LOCK™ COUPLERS - Unique 1 piece design. Opens wide and double-locks onto posts.				
Couplers		4 pr.	8660177	
Couplers for SYSCO Reliance and SYSCO Classic shelving.....		4 pr.	9507815	



DESCRIPTION	SIZE	PACK	SUPC
A. SPLIT SLEEVES FOR SYSCO SHELVING - Snap together to attach one shelf.			
Split Sleeves		4 pr.	4228649
B. WALL SHELF UNIT BY AMCO - Zinc Protoxy coated wire shelf and two wall brackets.			
Wall Shelf	12" x 36"	1 ea.	5616578
Wall Shelf	12" x 48"	1 ea.	5616560
Shelf Label	6"	1 ea.	5684204
C. INTERMETRO® PLASTIC SHELF LABEL - Plastic clip-on label holder for metro wire shelving. Can use slide card or self-stick label.			
Label	3" x 1 1/4"	1 ea.	6416358
D. "S" WIRE HOOK - Use two per shelf to connect additional shelves with fewer posts.			
S Hook		1 ea.	6416218



DESCRIPTION	SIZE	PACK	SUPC
A. SYSCO WIRE BUN PAN RACKS - Quick, no-tool assembly. Maneuvers easily on four 5" swivel casters.			
1.5" End Load (38 pan capacity)	62" x 23"	1 ea.	5640446
3" End Load (20 pan capacity)	62" x 23"	1 ea.	5640453
3" Side Load (20 pan capacity)	62" x 23"	1 ea.	5640479
B. SYSCO WIRE PREP RACK - Made to accommodate 18" x 26" pans. 27" height topped with a 1/2" thick white cutting board. Rolls easily on four 5" swivel casters. Assembles quickly without tools.			
3" End Load (8 pan capacity).....	38" x 21"	1 ea.	5874276
C. NEW AGE BUN PAN RACK - All welded aluminum construction. No rivets to loosen. This rack accommodates full and half size pans. Welded reinforced gussets keep the rack square under heavy loads. Features heavy duty 5" stem casters. Assembly required. Lifetime warranty against rust and corrosion. NSF certified.			
End Load			4483764
D. MARKO BUN PAN RACK COVERS - Economical way to cover pre-plated food and bakery items until needed. Made of heavy 8 gauge clear vinyl with a full flap opening with Velcro® closure.			
Fits standard 7 shelf rack.....	22" x 28" x 34"	1 ea.	7806862
Fits standard 11 and 18 shelf rack	22" x 32" x 61"	1 ea.	5107982
E. CURTRON PROTECTO® PAN RACK COVER - 20 mil. reinforced translucent material with clear vision window. Flame retardant. Remains flexible in freezers. Triple reinforced top corners. Full access end with nylon zippers.			
Cover, Pan Rack Protector	23" x 28" x 62"	1 ea.	5278817
F. BEST-VALUE BUN PAN RACK COVER - Sanitary, full size. Clear 6 mil polyethylene with Star Seal Top. 30/case.			
Full Size	52" x 80"	50 ea.	5137710



DESCRIPTION	SIZE	PACK	SUPC
A. THERMOSAFE FOOD CARRIERS - Popular lightweight carrier. Hinged top-opening lid with quick-release buckle provide quick access. Thick polystyrene insulation with a washable nylon shell and heat-reflective silver lining.			
1. Side loop handles for carrying			
Blue.....	17" x 9 ⁷ / ₈ " x 16 ¹ / ₂ "	1 ea.	7011166
Black.....	17" x 9 ⁷ / ₈ " x 16 ¹ / ₂ "	1 ea.	8768921
Red.....	17" x 9 ⁷ / ₈ " x 16 ¹ / ₂ "	1 ea.	8768939
Non adjustable carry strap			
Black.....	17" x 10" x 8"	1 ea.	8767964
Blue.....	17" x 10" x 8"	1 ea.	8768459
Red.....	17" x 10" x 8"	1 ea.	8768467
2. Adjustable carrying strap for use in either hand or "stadium style" around the neck			
Blue.....	17 ¹ / ₈ " x 10 ¹ / ₈ " x 10 ⁵ / ₈ "	1 ea.	7738966
Black.....	17 ¹ / ₈ " x 10 ¹ / ₈ " x 10 ⁵ / ₈ "	1 ea.	8768897
Red.....	17 ¹ / ₈ " x 10 ¹ / ₈ " x 10 ⁵ / ₈ "	1 ea.	8768913
B. THERMOSAFE INSULATED TOP LOAD PAN CARRIER - High-density, expanded polystyrene foam with tight fitting plug lid provides thermal protection for hours. Fits full, half and third size pans.			
White, 4" Deep.....	20" x 12"	3 ea.	8220436
C. CARLISLE® CATERAID™ INSULATED TOP LOADERS - Holds third, half or full size food pans for safe distribution. Automatic self-venting system eliminates unsanitary vent openings and lost vent caps. Nyllex II™ latches will not rust. NSF listed.			
Black, 4" Deep.....	12 qt.	1 ea.	3269479
Brown, 4" Deep.....	12 qt.	1 ea.	3150562
Black, 6" Deep.....	18 qt.	1 ea.	6280333
Brown, 6" Deep.....	18 qt.	1 ea.	4337580
Black, 8" Deep.....	24 qt.	1 ea.	2563401
Brown, 8" Deep.....	24 qt.	1 ea.	3913605
D. CARLISLE® CATERAID™ INSULATED END LOADERS - Holds up to 5 full size, 2 1/2" deep pans and various other combinations. NSF listed.			
Black.....		1 ea.	2006393
Brown.....		1 ea.	2048775
Forest Green.....		1 ea.	2212645
Tan.....		1 ea.	2089274
E. CAMBRO® PAN CARRIERS - Holds up to 4 full size by 2 1/2" deep pans and various other combinations. Molded-in mounting plates prevent the stainless steel hardware from pulling out. Molded-in handles will not break off. NSF listed.			
Dark Brown.....	36 qt.	1 ea.	4744280



AVAILABLE IN DARK BROWN ONLY

AVAILABLE IN BROWN ONLY

A. SYSCO CATERAID™ INSULATED BEVERAGE SERVERS, XT SERIES - NSF listed. Stacks with other styles of servers. Features an extra wide top latch for secure seal. Cap on top vent can be replaced with a sport bottle top if lost. Scratch resistant exterior. Dripless faucet. Tested to hold temperatures above 180°F for six hours.

Black	2 ½ gal.	1 ea.	6954499
Brown	2 ½ gal.	1 ea.	6953962
Black	5 gal.	1 ea.	6954218
Brown	5 gal.	1 ea.	6954523

B. CAMBRO® ULTRA CAMTAINER® INSULATED CONTAINERS - One piece, double wall, high density polyethylene construction. Foamed in place insulation combined with air tight gaskets provide temperature retention. Tapered lid entry with double nylon latches. Durable molded-in handles. Wide service opening and recessed faucet are positioned to accommodate larger cups. NSF listed.

Sand	2 ½ gal.	1 ea.	7699960
------------	----------	-------	---------

C. CAMBRO® CAMSERVER® - Especially designed for hot beverage service. Attractive design features a safe, top opening for refilling without removing the entire lid. Reversible brass identity plates snap over the faucet handle for contents identification. Brass plates included: coffee/decaf and tea/hot water.

Black	3 gal.	1 ea.	5974142
-------------	--------	-------	---------

D. CARLISLE INSULATED BEVERAGE SERVER - The Cateraide™ line offers important features you have come to rely on. Made of rugged, stain and scratch resistant polyethylene, filled with extra thick foam insulation for maximum temperature retention. Smooth interior walls and rounded corners leave no food traps for easy clean up. Thick lids are designed to ensure top performance and temperature retention. Nylex II™ latches have no sharp edges, won't rust, bend, or dent like metal. "Spring action" faucet for dripless service. Durable scratch-resistant polyethylene exterior. Reinforced, tight-fitting lids with o-ring seals prevent leaks and provide increased heat retention. Convenient pop-up vent. Convex lid design prevents leaks during use as pressure increases. Easy-grip, formed handles for transporting. NSF listed.

Black	10 gal.	1 ea.	3984218
Brown	1 gal.	1 ea.	2772895
Brown	10 gal.	1 ea.	7784275
Forest Green	1 gal.	1 ea.	5806781
Forest Green	2 ½ gal.	1 ea.	7170814
Forest Green	5 gal.	1 ea.	7171192
Forest Green	10 gal.	1 ea.	5210893
Slate	2 ½ gal.	1 ea.	7170897
Slate	5 gal.	1 ea.	7171457
Slate	10 gal.	1 ea.	4846291
Tan	1 gal.	1 ea.	6489439
Tan	2 ½ gal.	1 ea.	6804090
Tan	5 gal.	1 ea.	7171465



DESCRIPTION	SIZE	PACK	SUPC
A. CARLISLE® CATERAID™ ICE CADDIES - A thick foam insulated container that maintains cold temperatures. Rounded inside corners and removable lids for easy cleaning. Heavy duty casters easily handle the loaded weight. NSF listed.			
Brown	125 lb.	1 ea.	6489751
Forest Green	125 lb.	1 ea.	8657512
Black	125 lb.	1 ea.	6489447
Tall Cateraid™ features 8" back wheels for easy maneuvering through doorways and over rough surfaces.			
Brown, Tall	125 lb.	1 ea.	2743896
Forest Green, Tall	125 lb.	1 ea.	2444156
Black, Tall	125 lb.	1 ea.	8444564
Features 10" back wheels for easy maneuvering. Lid opens and lies flat against the unit to conserve space.			
Brown	200 lb.	1 ea.	1774728
Forest Green	200 lb.	1 ea.	5210794
Black	200 lb.	1 ea.	8229775
B. SYSCO FOLD 'N GO® CART - Folds easily to fit into a narrow 8 ½" area space. The standard 15" x 21" shelf size holds standard bus boxes. Folding design makes it excellent for small facilities and ideal for caterers. All four wheels swivel for great maneuverability. Two of four non-marking casters lock the cart in place when needed.			
Black, 3 Shelf, 350 lb.	15" x 21"	1 ea.	7292709
C. SYSCO BUS CARTS - Shelves especially designed to resist staining and wipe clean. 7/16" lip around shelf edge contains spills. Beige polymer shelves with chrome post uprights. 150 lb. per shelf capacity. NSF listed.			
2 Shelf.....	18" x 28"	1 ea.	5640487
2 Shelf.....	33" x 21"	1 ea.	5874284
2 Shelf.....	39" x 27"	1 ea.	5874318
3 Shelf.....	18" x 28"	1 ea.	5640495
3 Shelf.....	25" x 16"	1 ea.	7628787
3 Shelf.....	33" x 21"	1 ea.	5874292
3 Shelf.....	39" x 27"	1 ea.	5874326
3 Shelf with End Panels.....	18" x 28"	1 ea.	5640503
3 Shelf with End Panels.....	33" x 21"	1 ea.	5874300
Silverware Bin, Black	17 ½" x 7 ¾" x 13 ¼"	1 ea.	5766696
Waste Bin, Black	17 ½" x 27 ½" x 13 ¼"	1 ea.	5766688
D. SYSCO BUSSING CART - Durable high-density, polyethylene cart has elegant styling and is perfect for front of house serving, bussing or even room service. Closed ends help to hide bus tubs. Handles are molded into top shelf. 300 pound capacity. Silverware and trash bins are heavy duty and hang easily on sides of cart.			
Bussing Cart.....		1 ea.	7628787
Trash Bin for Bussing Cart, Black		1 ea.	7077563
Silverware Bin for Bussing Cart, Black		1 ea.	7078413

A



B



C



AVAILABLE WITH AND WITHOUT END PANELS

D



DESCRIPTION	SIZE	PACK	SUPC
A. SYSCO DEEP LEDGE CARTS - Designed with a 2 ¼" deep lip on the shelf to contain product and spills. The easy to clean and corrosion proof beige polymer shelves have 150 lb. capacity each. No tools required for assembly. Adjustable center shelf in 1" increments. NSF listed.			
2 Shelf.....	27" x 39"	1 ea.	4076402
3 Shelf.....	21" x 33"	1 ea.	4075164
3 Shelf.....	27" x 39"	1 ea.	4076410
B. SYSCO UTILITY CART - Constructed of high density structural plastic shelves and engineered aluminum uprights. This cart will not dent or rust. 200 lb. total capacity. Includes 4" non-marking swivel casters. Black.			
3 Shelf.....	36" x 16" x 31"H	1 ea.	6438253
Silverware Bin, Black.....	8" x 14" x 9 ¼"	1 ea.	8778987
Waste Bin, Black.....	9 ¼" x 23" x 14"	1 ea.	8798829
C. CONTINENTAL MANUFACTURING UTILITY CART - Molded of tough structural plastic. Light weight, yet heavy duty on the job. Holds 200 lb. per shelf. Seamless construction. 5 inch double race ball bearing casters, two swiveling and two tracking, for easy maneuverability.			
2 Shelf, Grey.....	34 ¾" x 17 ½" x 33"	1 ea.	5606835
D. VOLLRATH® PLASTIC UTILITY CART - Mirror polished chrome plated uprights and handle with structural foam plastic shelves. 200 lb. capacity. 4" swivel casters. Shipped flat.			
3 Shelf, Gray.....	30 ½" x 18 ½"	1 ea.	5336706
E. VOLLRATH® STAINLESS STEEL THRIFT-I-CART - Chrome plated tubular steel frame with one piece drawn stainless steel shelves. 500 lb. capacity. Features 4" swivel casters. Ships fully assembled.			
3 Shelf.....	21" x 33"	1 ea.	5427331

A



B



C



D



E



DESCRIPTION	SIZE	PACK	SUPC
A. VOLLRATH® STAINLESS STEEL CARTS - Welded construction. ABS handle helps prevent damage to walls and doors. Four swivel casters.			
Medium Duty, 3 Shelf, S-S, 300 lb.....	27 ½" x 15 ½"	1 ea.	5336748
Medium Duty, 3 Shelf, S-S, 300 lb.....	30 7/8" x 17 ¾"	1 ea.	5357850
Heavy Duty, 3 Shelf, S-S, 400 lb.	27 ½" x 15 ½"	1 ea.	5356191
Heavy Duty, 3 Shelf, S-S, 400 lb.	30 7/8" x 17 ¾"	1 ea.	5412028
B. VOLLRATH® REFUSE BINS - Fits all Vollrath® carts. Comes complete with hanging clips. Plastic and tubular cart require a hanger rod assembly sold separately.			
Gray	8 ½" x 16" x 21 5/8"	1 ea.	9280132
Black	8 ½" x 16" x 21 5/8"	1 ea.	9280538
C. VOLLRATH® SILVER BINS - Fits all standard size carts and trucks. Plastic and tubular carts require a hanger rod assembly sold separately.			
Gray	15 ½" x 6 3/8" x 6 ¼"	1 ea.	5427216
Black	15 ½" x 6 3/8" x 6 ¼"	1 ea.	5427190
D. RUBBERMAID® WASTE BIN - Fits Rubbermaid® Carts (6190, 6192, 6198)			
Black, 4 gal.	10 ½" x 17" x 12 1/8"	1 ea.	9123795
E. CARLISLE® OPTIMIZER™ DISH DOLLIES - Round outside corners and adjustable dividers. Holds from 5 ½" to 12 ½" plates and 9 ½" to 13 ½" platters. 10" wheels handle the loaded capacity with ease. Vinyl cover with easy opening Velcro® side included for sanitary storage. Polyethylene constructed. NSF listed.			
4 Dividers, Black		1 ea.	2162188
6 Dividers, Black		1 ea.	2162196

A



B



D



C



E

